

Elevate HD Analog Cameras



ELEV-C2DRXIR2812: 2.8-12mm, White, 12VDC
ELEV-C2DRIRA2812D: 2.8-12mm A/F Motorized, White, Dual Voltage
 2 Megapixel TVI/AHD/CVI/CVBS, Outdoor Dome, 98' IR Range, D-WDR, up to -40



ELEV-C5BXIRA27135: 5 MP, 2.7-13.5mm A/F Motorized, White
 TVI/AHD/CVI/CVBS, Outdoor Bullet, 98' IR Range, D-WDR, up to -40, 12VDC



ELEV-C5DRXIRA27135: 5 MP, 2.7-13.5mm A/F Motorized, White
 TVI/AHD/CVI/CVBS, Outdoor Dome, 98' IR Range, D-WDR, up to -40, 12VDC



ELEV-C2TXIR2812: 2 MP, 2.8-12mm, White
ELEV-C5TXIRA27135: 5 MP, 2.7-13.5mm A/F Motorized, White
 TVI/AHD/CVI/CVBS, Outdoor Turret, 98' IR Range, D-WDR, up to -40, 12VDC

5-2 Megapixel Field Selectable TVI/AHD/CVI/CVBS

Scale down your camera resolutions, to match your DVR so they are compatible, via camera dip switches & OSD



ELEV-C5BXIR28: 5 MP, 2.8mm, White
 Outdoor Bullet, 65' IR Range, D-WDR, up to -40, 12VDC, White Housing



ELEV-C5DRXIR28: 5 MP, 2.8mm, White
 Outdoor Dome, 65' IR Range, D-WDR, up to -40, 12VDC, White Housing



ELEV-C5LIR28: 5 MP, 2.8mm, White
 Outdoor Low Profile, 49' IR Range, D-WDR, up to -40, 12VDC, White Housing



ELEV-C5TXIR28: 5 MP, 2.8mm, White
 Outdoor Turret, 65' IR Range, D-WDR, up to -40, 12VDC, White Housing

Elevate IP Cameras



ELEV-P4LIR28: 4 MP, 2.8mm, White
 Outdoor Low Profile, 2.8mm, 32' IR Range, WDR, Built-in Mic, SD Card Slot, PoE/DC12V



ELEV-P5BXIR28: 5 MP, 2.8mm, White
 Outdoor Mini Bullet, 82' IR Range, WDR, PoE/DC12V



ELEV-P5BXIRA2812: 5 MP, 2.8-12mm A/F Motorized, White
 Outdoor Bullet, 98' IR Range, WDR, PoE/DC12V



ELEV-P8BXIR28: 8 MP, 2.8mm, White
 Outdoor Bullet, 82' IR Range, WDR, Audio Input/Output, SD Card Slot, PoE/DC12V



ELEV-P5BXIRAF2812: 5 MP, 2.8-12mm A/F Motorized, White
 Outdoor Bullet, 114' IR Range, WDR, Audio Input/Output, SD Card Slot, White Light Motion, PoE/DC12V



ELEV-P8BXIRA3611: 8 MP, 3.6-11mm A/F Motorized, White
 Outdoor Bullet, 114' IR Range, WDR, Audio Input/Output, SD Card Slot, White Light Motion, PoE/DC12V



ELEV-P5DRXIR28: 5 MP, 2.8mm, White
ELEV-P8DRXIR28: 8 MP, 2.8mm, White
 Outdoor Dome, 82' IR Range, WDR, Built-in Mic, SD Card Slot, PoE/DC12V



ELEV-P5DRXIRAF2812: 5 MP, 2.8-12mm A/F Motorized, White
 Outdoor Dome, 98' IR Range, WDR, Audio Input/Output, Built-in Mic, SD Card Slot, PoE/DC12V



ELEV-P8DRXIRA3611: 8 MP, 3.6-11mm A/F Motorized, White
 8 Megapixel IP Plug & Play, Outdoor Dome, WDR, Audio Input/Output, Built-in Mic, SD Card Slot, PoE/DC12V



ELEV-P5TXIR28: 5 MP, 2.8mm, White
 Outdoor Turret, 2.8mm, 82' IR Range, WDR, PoE/DC12V



ELEV-P5TXIRA2812: 5 MP, 2.8-12mm A/F Motorized, White
 5 Megapixel IP Plug & Play, Outdoor Turret, 98' IR Range, WDR, PoE/DC12V

4 Megapixel IP Plug & Play Covert Cameras



ELEV-P4SMOKE
 Indoor Covert Smoke Detector Housing, WDR, PoE/DC12V



ELEV-P4PIR
 Indoor Covert PIR Housing, WDR, Built-in Mic, PoE/DC12V



ELEV-P4MIB37
 Indoor Metal Case Camera, WDR, PoE/DC12V

Elevate DVRs



ED1A-4

4 Ch TVI/AHD/CVI/ Analog/IP Universal Port Recorder (2 MP), with 2 Bonus IP Ch (2/4 MP), Up to 6 cameras total, 1 HD Bay

ED2A-4

4 Ch TVI/AHD/CVI/ Analog/IP Universal Port Recorder (5 MP), with 4 Bonus IP Ch (4/5 MP), Up to 8 cameras total, 1 HD Bay

ED3A-4

4 Ch TVI/AHD/CVI/ Analog/IP Universal Port Recorder (5 MP), with 4 Bonus IP Ch (5/8 MP), Up to 8 cameras total, 1 HD Bay, 4K

ED1A-8

8 Ch TVI/AHD/CVI/ Analog/IP Universal Port Recorder (2 MP), with 4 Bonus IP Ch (2/4 MP), Up to 12 cameras total, 1 HD Bay

ED2A-8

8 Ch TVI/AHD/CVI/ Analog/IP Universal Port Recorder (5 MP), with 8 Bonus IP Ch (4/5 MP), Up to 16 cameras total, 2 HD Bays, 4K

ED3A-8

8 Ch TVI/AHD/CVI/ Analog/IP Universal Port Recorder (5 MP), with 8 Bonus IP Ch (5/8 MP), Up to 16 cameras total, 2 HD Bay, 4K

ED1A-16

16 Ch TVI/AHD/CVI/ Analog/IP Universal Port Recorder (2 MP), with 4 Bonus IP Ch (2/4 MP), Up to 20 cameras total, 2 HD Bay

ED2A-16

16 Ch TVI/AHD/CVI/ Analog/IP Universal Port Recorder (5 MP), with 4 Bonus IP Ch (5/8 MP), Up to 20 cameras total, 2 HD Bays, 4K

ED3A-16

16 Ch TVI/AHD/CVI/ Analog/IP Universal Port Recorder (5 MP), with 4 Bonus IP Ch (5/8 MP), Up to 20 cameras total, 2 HD Bays, 4K



- True P2P Connectivity with QR Code Connect
- Simultaneous HDMI/VGA up to 1080p Resolution
- CVBS Main or Spot Monitor
- Multiple video search options including Smart and Thumbnail Search for quick retrieval of footage.
- Cloud Upgradeable & Cloud Storage
- Free iOS & Android Apps for Smart Phones & Tablets
- Free Central Management Software (CMS) to manage multiple units & sites f
- Free MAC client software to easily manage your system from your Apple computer

Elevate NVRs



EN1A-4X4

4 Ch NVR with 4 Plug & Play Ports, 40 Mbps, 1 HD Bay, 4K

EN1A-8X8

8 Ch NVR with 8 Plug & Play Ports, 80 Mbps, 1 HD Bay, 4K

EN1A-16X16

16 Ch NVR with 16 Plug & Play Ports, 160 Mbps, 2 HD Bays, 4K

- Up to 8 Megapixel Resolution Recording
- Works with ONVIF or other supported IP cameras
- Local HDMI main monitor output with 4K Support
- Local VGA main monitor output up to 1080p
- True P2P Connectivity with QR Code Connect
- Multiple video search options including Smart and Thumbnail Search for quick retrieval of footage.
- H.265/H.265+/H.264/H.264+ video compression
- Cloud Upgradeable & Cloud Storage
- Free iOS & Android Apps for Smart Phones & Tablets
- Free Central Management Software (CMS) to manage multiple units & sites from a single platform
- Free MAC client software to easily manage your system from your Apple computer

Elevate Series Highlights

Cameras

- IP Cameras up to 8 Megapixel
- HD Analog Cameras from 5-2 Megapixel
- Use One Analog Camera for All Applications
- -40° F Camera Options

Recording, Storage & Networking Options

- DVRs: 4-16 Channel
- NVRs: 4-16 Channel
- P2P Connectivity
- Cloud Upgradeable
- Cloud Storage

Analytics

- Facial Recognition
- Face Detection
- Line Crossing Detection
- Intrusion Detection
- Region Entrance
- Region Exiting
- Fast Moving
- Unattached Object
- Object Missing

ELEVATE SERIES

Vision 4/5/8/12 Megapixel IP Cameras



VIS-P4BXIR36: 4 MP, 3.6mm
VIS-P4BXIR36-16G: 4 MP, 3.6mm, built-in 16GB Card
VIS-P5BXIR4: 5 MP, Built-in Mic, 4mm
VIS-P8BXIR4: 8 MP, 4mm
 IP Plug & Play, Outdoor Bullet, 98' EXIR Range, PoE/DC12V



VIS-P4BXIRL4: 4 MP, 4mm
 Outdoor Bullet, 164' EXIR Range, SD Card Slot, PoE/DC12V



VIS-P4LIR: 4 MP, 2.8mm
 IP Plug & Play, Outdoor Rugged Low Profile, 49' IR Range, Built-in Mic, SD Card Slot, Audio In/Out, PoE/DC12V



VIS-P4DRIR28: 4 MP, 2.8mm
VIS-P5DRIR28: 5 MP, 2.8mm
VIS-P5DRIR4: 5 MP, 4mm
 IP Plug & Play, Outdoor Vandal Dome, 98' EXIR Range, SD Card Slot, Audio In/Out, PoE/DC12V



VIS-P4DRXIR36: 4 MP, 3.6mm
VIS-P4DRXIR6: 4 MP, 6mm
 IP Plug & Play, Outdoor Turret, 98' EXIR Range, Audio In/Out, PoE/DC12V



VIS-P4TXIR28: 4 MP, 2.8mm
VIS-P5TXIR28: 5 MP, Built-in Mic, 2.8mm
VIS-P8TXIR28: 8 MP, 2.8mm
 IP Plug & Play, Outdoor Turret, 98' EXIR Range, PoE/DC12V



VIS-P12PAN: 12 MP, 1.8mm Fish Eye
 IP, Outdoor Rugged Panoramic Camera, 65' IR Range, D-WDR, 2-Way Audio, Built-in Speaker & Mic, Audio In/out, SD Card Slot, PoE/12VDC



VIS-P2PTZXIR22POE
 2 Megapixel IP, Outdoor PTZ, 22x, 492' EXIR Range, D-WDR, Audio Input/Output, SD Card Slot, PoE+/DC12V



VIS-P2PTZXIR30
 2 Megapixel IP, Outdoor PTZ, 30x, 492' EXIR Range, D-WDR, 2-Way Audio, Audio In/Out, SD Card Slot, PoE/24VAC/DC, Auto-Tracking



VIS-P2PTZLASERT33
 2 Megapixel IP, Outdoor PTZ, 33x, 1640' Laser IR Range, Two-Way Audio, Audio In/Out, PoE/24VAC/DC, Auto-Tracking



VIS-P2PTZXIRT44
 2 Megapixel IP, Outdoor PTZ, 44x, 820' EXIR Range, WDR, Two-Way Audio, SD Card Slot, 24VAC/DC, Audio In/Out, Auto-Tracking



Ask about the Vision Pro Series!
 Complete Systems that can handle up to 2000 Cameras



VIS-P2BXIRA65143: 2 MP, 6.5-143mm A/F Motorized
 IP Plug & Play, Outdoor Bullet, 656' EXIR Range, SD Card Slot, up to -40, PoE/DC12V



VIS-P4BXIRA2812: 4 MP, 2.8-12mm A/F Motorized
VIS-P5BXIRA27135: 5 MP, 2.7-13.5mm A/F Motorized
VIS-P8BXIRA2812: 8 MP, 2.8-12mm, A/F Motorized
 IP Plug & Play, Outdoor Bullet, 98' EXIR Range, SD Card Slot, PoE/DC12V



VIS-P4DRXIRA2812: 4 MP, 2.8-12mm A/F Motorized
VIS-P5DRXIRA27135: 5 MP, 2.7-13.5mm A/F Motorized
VIS-P8DRXIRA2812: 8 MP, 2.8-12mm A/F Motorized
 IP Plug & Play, Outdoor Vandal Dome, 98' EXIR Range, CVBS Output, SD Card Slot, PoE/DC12V



VIS-P4TXIRA2812: 4 MP, 2.8-12mm, A/F Motorized
VIS-P5TXIRA27135: 5 MP, 2.7-13.5mm, A/F Motorized
VIS-P8TXIRA2812: 8 MP, 2.8-12mm, A/F Motorized
 IP Plug & Play, Outdoor Turret, 98' EXIR Range, Built-in Mic, SD Card Slot, PoE/DC12V

Long-Range Vision Switches



VIS-LRPOE8-1: 8-Port PoE Switch with Gigabit Combo Port
 Long-Range up to 820 Feet with Vision Cameras



VIS-LRPOE16-2: 16-Port PoE Switch with 2x Gigabit Combo Port
 Long-Range up to 820 Feet with Vision Cameras



VIS-LRPOE24-2: 24-Port PoE Switch with 2x Gigabit Combo Port
 Long-Range up to 820 Feet with Vision Cameras

Vision Series Highlights

Cameras:

- IP Cameras up to 12 Megapixel
- 44x PTZ
- Auto-Tracking Options
- -40° F Camera Options
- Edge Storage Options
- Cloud Upgradeable

Recording, Storage & Networking Options

- NVRs: 4-128 Channel
- P2P Connectivity
- Cloud Upgradeable
- Long Range PoE Switches up to 820 Feet
- Extend Mode in NVR: Up to 800 Feet

Analytics:

- Face Detection
- Intrusion Detection
- Line Detection
- Audio Detection
- People Counting
- Defocus Detection
- Scene Change Detection
- Auto Tracking

Vision NVRs



VN1A-4X4
 4 Ch NVR with 4 Plug & Play Ports, 40 Mbps, 1 HD Bay, 4K

VN1A-8X8
 8 Ch NVR with 8 Plug & Play Ports, 80 Mbps, 2 HD Bay, 4K

VN1A-16X16
 16 Ch NVR with 16 Plug & Play Ports, 160 Mbps, 2 HD Bays, 4K

Ask about the New Vision DVRs!

VN1A Standard Features


- Up to 12 Megapixel Resolution Recording
- Works with ONVIF or other supported IP cameras
- Local HDMI main monitor output with 4K Support
- Local VGA main monitor output up to 1080p
- True P2P Connectivity with QR Code Connect
- Cloud Upgradeable
- Multiple video search options including Smart Search
- Ultra H.265/H.265/H.264 video compression
- Free iOS & Android Apps for Smart Phones & Tablets
- Free Central Management Software (CMS) to manage multiple units & sites from a single platform
- Free MAC client software to easily manage your system from your Apple computer



VN1A-32X16
 32 Ch NVR with 16 Plug & Play Ports, 320 Mbps, 4 HD Bays, 4K,



VN2A-64
 64 Ch NVR, 384 Mbps, 16 HD Bays, 4K



VN2A-128
 128 Ch NVR, 512 Mbps, 16 HD Bays, 4K

Paramount 2/4/5/8 IP Megapixel Cameras



PAR-P4BIR28: 4 MP, 2.8mm, White
PAR-P4BIR36: 4 MP, 3.6mm, White
PAR-P8BIR36: 8 MP, 3.6mm, White
 Outdoor Bullet, 98' IR Range, Audio In, PoE/DC12V, CVBS Output



PAR-P4LIR28: 4 MP, 2.8mm, White
 Outdoor Low Profile Camera Fixed Lens, 32' IR Range, Audio In/Out, PoE/DC12V, SD Card Slot



PAR-P4UFO: 4 MP, 2.8mm, White
 Outdoor Low Profile, 32' IR Range, CVBS, WDR, Built-in Mic, SD Card Slot, Audio In, PoE/12VDC



PAR-P4TXIRA3312: 4 MP, 3.3-12mm A/F Motorized, White
PAR-P5TXIRA3312: 5 MP, 3.3-12mm A/F Motorized, White
 Outdoor Turret 65' EXIR Range, CVBS Out, Audio In, PoE/DC12V



PAR-P4BIRA3312: 4 MP, 3.3-12mm A/F Motorized, White
PAR-P5BIRA3312: 5 MP, 3.3-12mm A/F Motorized, White
PAR-P8BIRA3312: 8 MP, 3.3-12mm A/F Motorized, White
 Outdoor Bullet, 164' IR Range, CVBS Output, SD Card Slot, Audio In/Out, PoE/DC12V



PAR-P4TXIR28: 4 MP, 2.8mm, White
PAR-P4TXIR36: 4 MP, 3.6mm, White
PAR-P4TXIR36: 5 MP, 6mm, White
 Outdoor Turret, 65' EXIR Range CVBS Output, Audio Input, PoE/DC12V



PAR-P4DRIRA3312: 4 MP, 3.3-12mm A/F Motorized, White
PAR-P8DRIRA3312: 5 MP, 3.3-12mm A/F Motorized, White
PAR-P8DRIRA3312: 8 MP, 3.3-12mm A/F Motorized, White
 Outdoor Rugged Dome, 98' IR Range, CVBS Output, SD Card Slot, Audio In/Out, PoE/DC12V

Paramont HD Analog

Standard Features:

Use with 2, 4, 5 Megapixel HD Analog Cameras



- True P2P Connectivity with QR Code Connect
- CVBS Main or Spot Monitor
- Watermarking

- Simultaneous HDMI/VGA up to 2K Resolution on the 4 Ch DVRs, 4K Resolution on the 8 & 16 Channel DVRs
- Multiple video search options including Thumbnail Search for quick retrieval of footage.
- Free iOS & Android Apps for Smart Phones & Tablets
- Free Central Management Software (CMS) to manage multiple units & sites from a single platform
- Free MAC client software to easily manage your system from your Apple computer

PD2A-4: 4 Ch TVI/AHD/CVI/Analog/IP Universal Port Recorder (4 MP), with 1 Bonus IP Ch (4 MP), Up to 5 cameras total, 1 HD Bay, 2K, Hard Drive Options: 2, 4, 8 TB

PD2A-8: 8 Ch TVI/AHD/CVI/Analog/IP Universal Port Recorder (4 MP), with 4 Bonus IP Ch (4 MP), Up to 12 cameras total, 1 HD Bays, 4K, Hard Drive Options: 2, 4, 8 TB

PD2A-8X: 8 Ch TVI/AHD/CVI/Analog/IP Universal Port Recorder (4 MP) with 4 Bonus IP Ch (4 MP), Up to 12 cameras total, 2 HD Bays, 4K, Hard Drive Options: 2, 4, 8, 16 TB

PD2A-16: 16 Ch TVI/AHD/CVI/Analog/IP Universal Port Recorder (4 MP) with 4 Bonus IP Ch (4 MP), Up to 20 cameras total, 2 HD Bays, 4K, Hard Drive Options: 2, 4, 8, 16 TB

PD2A-16X: 16 Ch TVI/AHD/CVI/Analog/IP Universal Port Recorder (4 MP) with 4 Bonus IP Ch (4 MP), Up to 20 cameras total, 4 HD Bays, 4K, HD Options: 2, 4, 8, 16, 24, 32 TB

PD1B-32: 32 Ch TVI/AHD/CVI/Analog/IP Universal Port Recorder (5 MP Lite), with 8 Bonus IP Ch (5 MP), Up to 40 cameras total, 4 HD Bays, HD Options: 2, 4, 8, 16, 24, 32 TB

PD1C-32: 32 Ch TVI/AHD/CVI/Analog/IP Universal Port Recorder (5 MP Lite), with 8 Bonus IP Ch (5 MP), Up to 40 cameras total, 8 HD Bays, HD Options: 2, 4, 8, 16, 24, 32, 64 TB

PD2B-4
4 Ch TVI/AHD/CVI/Analog/IP Universal Port Recorder (5 MP), with 2 Bonus IP Ch (8 MP), Up to 6 Cameras Total, 1 HD Bay, 4K Hard Drive Options: 2, 4, 8 TB

PD2B-8X
8 Ch TVI/AHD/CVI/Analog/IP Universal Port Recorder (5 MP), with 8 Bonus IP Ch (8 MP), Up to 16 Cameras Total, 2 HD Bay, 4K, Hard Drive Options: 2, 4, 8, 16 TB

PD2B-16
16 Ch TVI/AHD/CVI/Analog/IP Universal Port Recorder (5 MP), with 8 Bonus IP Ch (8 MP), Up to 24 Cameras Total, 2 HD Bay, 4K, Hard Drive Options: 2, 4, 8, 16 TB

PD3A-32
32 Ch TVI/AHD/CVI/Analog/IP Universal Port Recorder (5 MP), with 4 Bonus IP Ch (4 MP), Up to 36 Cameras Total, 8 HD Bay, HD Options: 2, 4, 8, 16, 24, 32, 64 TB

2/4/5 HD Analog Megapixel Cameras



PAR-C4BIR28: 4 MP TVI/AHD/CVBS, 2.8mm, White
Mini Bullet, 65' IR Range, D-WDR, 12VDC



PAR-VARIBULLET2: 2 MP TVI/AHD/CVI/CVBS, 2.8-12mm, White
PAR-C5BIR3312: 5MP TVI/AHD/CVBS, 3.3-12mm, White
Outdoor Bullet 164' IR Range, DC12V, SD Card Slot



PAR-A2MINITI: 2 MP TVI/AHD/CVI/CVBS, 2.8mm, White
PAR-A5MINITI: 5 MP TVI/AHD/CVI/CVBS, 2.8mm, White
Outdoor Mini Turret, 32' IR Range, D-WDR, 12VDC



PAR-C4DRIR3312: 4 MP TVI/AHD/CVBS, 3.3-12mm, White
PAR-C5DRIR3312: 5 MP, TVI/AHD/CVBS, 3.3-12mm, White
Outdoor Rugged Dome, 98' IR Range, 12VDC



PAR-FIXEDTURRET28: 2 MP TVI/AHD/CVI/CVBS, 2.8mm, White
PAR-C4TIR28: 4 MP TVI/AHD/CVBS, 2.8mm, White
PAR-C5TIR36: 5 MP TVI/AHD/CVBS, 3.6mm, White
Outdoor Turret with 65' EXIR Range, D-WDR, 12VDC

Paramont Series Highlights

Cameras

- IP Cameras up to 8 Megapixel
- HD Analog Cameras to 5 Megapixel
- -40° F Camera Options

Recording, Storage & Networking Options

- DVRs: 4-32 Channel
- NVRs: 4-128 Channel
- P2P Connectivity

Analytics

- Object Detection (Missing or Abandoned)
- Exception (Scene Change/Video Blurred/Video Color Cast)
- Line Crossing
- Intrusion Detection



PAR-P3C2PTXIR20: 20x
PAR-P3C2PTXIR30: 30x
3 MP IP / 2 MP TVI/AHD,
Hybrid PTZ, 295' EXIR Range,
SD Card Slot, AC24V
Wall Mount Included

Paramont NVRs

PN1A Standard Features

- Up to 8 Megapixel Resolution Recording
- Works with ONVIF or other supported IP cameras
- Local HDMI main monitor output with 4K Support
- Local VGA main monitor output up to 1080p
- True P2P Connectivity with QR Code Connect
- H.265/H.264 video compression
- Multiple video search options including Thumbnail Search for quick retrieval of footage.
- Free iOS & Android Apps for Smart Phones & Tablets
- Free Central Management Software (CMS) to manage multiple units & sites from a single platform
- Free MAC client software to easily manage your system from your Apple computer



PN1A-4X4
4 Ch NVR with 4 Plug & Play Ports, 40 Mbps, 1 HD Bay, 4K Hard Drive Options: 2, 4, 8 TB

PN1A-8X8
8 Ch NVR with 8 Plug & Play Ports, 64 Mbps, 1 HD Bay, 4K Hard Drive Options: 2, 4, 8 TB

PN1A-16X16-2
16 Ch NVR with 16 Plug & Play Ports, 112 Mbps, 2 HD Bays, 4K, Hard Drive Options: 2, 4, 8, 16 TB

PN1A-16X16
16 Ch NVR with 16 Plug & Play Ports, 256 Mbps, 4 HD Bays, 4K, Hard Drive Options: 2, 4, 8, 16, 24, 32 TB

PN1A-32X16
32 Ch NVR with 16 Plug & Play Ports, 256 Mbps, 8 HD Bays, 4K, HD Options: 2, 4, 8, 16, 24, 32, 64 TB



PN2A-64
64 Ch NVR, 320 Mbps, 8 HD Bays, 4K HD Options: 2, 4, 8, 16, 24, 32, 64 TB



PN2A-128
128 Ch NVR, 512 Mbps, 16 HD Bays, 4K HD Options: 2, 4, 8, 16, 24, 32, 64, 128 TB



PN1A-16X16F
16 Ch NVR with 16 Plug & Play Ports, True Facial Recognition, 256 Mbps, 4 HD Bays, 4K, Hard Drive Options: 2, 4, 8, 16, 24, 32 TB

PN1A-32X16F
32 Ch NVR with 16 Plug & Play Ports, True Facial Recognition with NVR, 7-22mm Auto-Focus Motorized, 256 Mbps, 8 HD Bays, 4K, Hard Drive Options: 2, 4, 8, 16, 24, 32, 64 TB



Facial Recognition Cameras Capable with Compatible NVR



PAR-P5DRIR28N: 5 MP, 2.8mm, White
5 Megapixel IP Plug & Play, Outdoor Vandal Dome, 98' EXIR Range, CVBS Output, WDR, Built-in Mic, Audio Input, SD Card Slot, 12VDC/PoE



PAR-P5DRIRA3312N: 5 MP, 3.3-12mm A/F Motorized, White
5 Megapixel IP Plug & Play, Outdoor Vandal Dome, 98' EXIR Range, CVBS Output, WDR, Built-in Mic, Audio Input/Output, SD Card Slot, 12VDC/PoE



PAR-P5TXIR28N: 5 MP, 2.8mm, White
5 Megapixel IP Plug & Play, Outdoor Turret, 98' EXIR Range, CVBS Output, WDR, Built-in Mic, Audio Input, SD Card Slot, PoE/12VDC



PAR-P5TXIRA3312N: 5 MP, 3.3-12mm A/F Motorized, White
5 Megapixel IP Plug & Play, Outdoor Turret, 164' EXIR Range, CVBS Output, WDR, Built-in Mic, Audio Input, SD Card Slot, PoE/12VDC



PAR-P5BIRF
5 Megapixel IP Plug & Play Outdoor Mini Bullet, 65' IR Range, CVBS Output, WDR, Audio Input, PoE/12VDC



PAR-P5DRIRF
5 Megapixel IP Plug & Play, Outdoor Vandal Dome, 65' IR Range, CVBS Output, WDR, Audio Input, PoE/12VDC



PAR-P5UF0F
5 Megapixel IP Plug & Play, Outdoor Low Profile Camera, 32' IR Range, CVBS Output, WDR, Built-in Mic, Audio Input, SD Card Slot, PoE/12VDC



PAR-P5TXIRF
5 Megapixel IP Plug & Play, Outdoor Turret, 3.6mm, 65' EXIR Range, CVBS Output, WDR, Audio Input, PoE/12VDC



PAR-P5TXIRA3312F
5 Megapixel IP Plug & Play, Outdoor Turret, 3.3-12mm Auto-Focus Motorized, 65' EXIR Range, CVBS Output, WDR, Audio Input, PoE/12VDC

Ultra 4/5/6/8 Megapixel IP Cameras



ULT-P6BXIRM2812: 6 MP, 2.8-12mm Motorized, White
ULT-P8BXIRM2812: 8 MP, 2.8-12mm Motorized, White
ULT-P12BXIRM2812: 12 MP, 2.8-12mm Motorized, White
 IP Plug & Play, Outdoor Bullet, 150' IR Range, PoE/DC12V



ULT-P4TXIR: 4 MP, (2.8, 4, 6, 12mm), White
ULT-P4TXIR28B: 4 MP, 2.8mm, Black
ULT-P5TXIR: 5 MP, (2.8, 4mm), White
ULT-P8TXIR28: 8 MP, 2.8mm, White
 IP Plug & Play, Outdoor Turret, 100' EXIR Range, WDR, PoE/DC12V



ULT-P4DRIR: 4 MP, (2.8, 4, 6mm), White
ULT-P4DRIRA28: 4 MP, 2.8mm, White, Audio Input
ULT-P4DRIRWA28: 4 MP, 2.8mm, White, Audio Input, WiFi
ULT-P4DRIR28B: 4 MP, 2.8mm, Black
ULT-P5DRIR4: 5 MP, (4, 6mm), White
ULT-P5DRIRA4: 5 MP, 4mm, White, Audio Input
 Outdoor Vandal Dome, 100' IR Range, WDR, SD Card Slot, PoE/DC12V



ULT-P6DRIRM2812:
6 MP, 2.8-12mm Motorized, White
ULT-P8DRIRM2812:
8 MP, 2.8-12mm Motorized, White
ULT-P12DRIRM2812:
12 MP, 2.8-12mm Motorized, White
 Outdoor Rugged Dome, 2.8-12mm Motorized, 60' IR Range, CVBS, D-WDR, Audio Input/Output, SD Card Slot, PoE/DC12V



ULT-P8PANMULTI:
8 MP, 4 Cams w/ 5mm each, White
 Multi Camera Outdoor Dome with 4 Cameras, Audio Input, PoE/DC12V

Ultra Series Highlights

Cameras:

- IP Cameras up to 12 Megapixel
- HD Analog Cameras to 5 Megapixel
- ~40° F Camera Options

Recording, Storage

- DVRs: 4-32 Channel
- NVRs: 4-256 Channel
- 4K Options

Analytics

- Line Crossing
- Intrusion Detection
- Audio Detection
- LPR Detection

Ultra NVRs



UN1B-4X4
 4 Ch NVR with 4 Plug & Play Ports
 40 Mbps, 1 HD Bay, 4K

UN1B-8X8
 8 Ch NVR with 8 Plug & Play Ports
 80 Mbps, 2 HD Bays, 4K

UN1B-16X16
 16 Ch NVR with 16 Plug & Play Ports
 160 Mbps, 2 HD Bays, 4K

- Up to 12 Megapixel Resolution Recording (8 MP on the 4 Ch)
- Works with ONVIF or other supported IP cameras
- Local HDMI main monitor output with 4K Support
- Local VGA main monitor output up to 1080p
- Multiple video search options including Smart and Sub-Period Search for quick retrieval of footage.
- H.265/H.264/H.264+/MJPEG video compression (H.265 only Supported with Ultra Cameras)
- Unique Virtual Host provides remote access to all IPC login menu based features and capabilities
- Free iOS & Android Apps for Smart Phones & Tablets
- Free Central Management Software (CMS) to manage multiple units & sites from a single platform
- Free MAC client software to easily manage your system from your Apple computer



UN1A-16X16L: 16 Ch NVR with 16 Plug & Play Ports, 256 Mbps, 4 HD Bays, 4K

UN1A-32X16: 32 Ch NVR with 16 Plug & Play Ports, 256 Mbps, 4 HD Bays, 4K



UN2A-64
 64 Ch NVR, 320 Mbps, 8 HD Bays, 4K

UN2A-128
 128 Ch NVR, 576 Mbps, 16 HD Bays, 4K

UN3A-128
 128 Ch NVR, 576 Mbps, 24 HD Bays, 4K

UN3A-256
 256 Ch NVR, 640 Mbps, 24 HD Bays, 4K



Master Power Supplies

- DC12V & 24V
- Various Channels
- Various AMPs



IMHD-10
 10.1" HD 1024 x 600 LED Monitor, HDMI, VGA, Looping BNC, & Motion Trigger Inputs

4K Monitors



IMHD4K-24: 24"
IMHD4K-28: 28"



IMHD4K-32: 32"
IMHD4K-43: 43"
IMHD4K-55: 55"
IMHD4K-85: 85"

Standard Monitors with Various Inputs

IM-10: 10" Monitor with BNC
 IM-15: 15" Monitor with BNC
 IMHD-17A: 17" (4:3 Ratio) HDMI, VGA & Looping BNC
 IMHD-1943: 19" (4:3 Ratio) HDMI, VGA & BNC
 IMHD-20HVB: 19.5" HDMI, VGA & Looping BNC
 IMHD-22HVB: HDMI, VGA, Looping BNC
 IMHD-24: 24" HDMI, VGA & Looping BNC
 IMHD-27: 27" HDMI, VGA, Looping BNC



www.invidtech.com

Ultra HD Analog Cameras & DVRs



UD1B-4
 4 Ch TVI/AHD/CVI/Analog Universal Port Recorder (3MP on Port 1, 2 MP on Ports 2-4), with 1 Bonus IP Ch (4 MP), Up to 10 cameras total, 1 HD Bay, 4K

UD1B-8
 8 Ch TVI/AHD/CVI/Analog Universal Port Recorder (3 MP on Ports 1-2, 2 MP on Ports 3-8), with 2 Bonus IP Ch (4 MP), Up to 10 cameras total, 1 HD Bay, 4K


UD1B-16
 16 Ch TVI/AHD/CVI/Analog Universal Port Recorder (3 MP on ports 1-4, 2 MP on ports 5-16), with 2 Bonus IP Ch (4 MP), Up to 18 cameras total, 2 HD Bays, 4K



UD2B-8
 8 Ch TVI/AHD/CVI/Analog/IP Universal Port Recorder (3 MP), with 2 Bonus IP Ch (8 MP), Up to 10 cameras total, 4 HD Bays, 4K

UD2B-16
 16 Ch TVI/AHD/CVI/Analog/IP Universal Port Recorder (3 MP), with 2 Bonus IP Ch (8 MP), Up to 18 cameras total, 4 HD Bays, 4K

UD3B-32
 32 Ch TVI/Analog Universal Port Recorder (2 MP), with 8 Bonus IP Ch (2 MP), Up to 40 cameras total, 4 HD Bays



5 Megapixel DVRs with 2 HD Bays
 TVI/AHD/CVI/CVBS/IP

UD5A-4
 4 Ch + 2 Bonus IP Ch 8 MP
 (Up to 6 Cameras Total), 4K

UD5A-8
 8 Ch + 2 Bonus IP Ch 8 MP
 (Up to 10 Cameras Total), 4K

UD5A-16
 16 Ch + 2 Bonus IP Ch 8 MP
 (Up to 18 Cameras Total), 4K

Picture may represent the series, housing/camera style may vary. We reserve the right to make changes to improve our products at any time without notice; we are not responsible for misprints.

LPR: License Plate Cameras

ULT-P2LPR150
 2 Megapixel IP Plug & Play Mini Bullet, 2.8-12mm, 150' IR Range, PoE/DC12V, SD Card Slot

ULT-P2LPR300
 2 Megapixel IP License Plate Camera, 8-32mm, WDR, 300' EXIR Range, PoE/12VDC, SD Card Slot



2 Megapixel Cameras



ULT-C2BIR28: 2.8mm
 Outdoor TVI Bullet, 65' EXIR Range, D-WDR, 12VDC



ULT-C2BXIRA2812
 Outdoor TVI Bullet, 2.8-12mm Motorized, 120' EXIR Range, Dual Voltage, -40°



ULT-C2DRIR: 2.8mm
 Outdoor TVI Dome, 65' EXIR Range, 12VDC

5 Megapixel Cameras



ULT-C5BIR28: 2.8mm
 Outdoor TVI Bullet, 65' EXIR Range, D-WDR, 12VDC



ULT-C5PAN: 1.1mm
 Indoor TVI 360 Fish Eye Camera, Built-in Mic, 12VDC



ULT-C5TXIRL: 2.8mm
 Outdoor TVI Turret, 120' EXIR Range, D-WDR, 12VDC



ULT-C5BIRM2812
 Outdoor TVI Bullet, 2.8-12mm Motorized, 120' EXIR Range, D-WDR, Dual Voltage



ULT-C5DRXIRM2812
 Outdoor TVI Vandal Dome, 2.8-12mm Motorized, 120' EXIR Range, D-WDR, Dual Voltage



ULT-C5TXIRM2812:
 Outdoor TVI Turret, 2.8-12mm Motorized, 120' EXIR Range, D-WDR, 12VDC